

DATA MINING 2

Transactional Clustering

Riccardo Guidotti


a.a. 2022/2023



Clustering


- **Clustering:** Grouping of objects into different sets, or more precisely, the partitioning of a data set into subsets (clusters), so that the data in each subset (ideally) share some common trait - often proximity according to some defined distance measure
- Common distance functions:
 - Euclidean distance, Manhattan distance, ...
- This kind of distance functions are suitable for **numerical data**

Not Only Numerical Data



Acceleration 0-100 (s)	Lenght (m)	Width (m)	Height (m)	Price (€)
12	4	1.6	1.7	20' 000
14	3.7	1.5	1.65	16' 000
15	3.5	1.5	1.6	12' 000
9.4	4.2	1.8	1.7	24' 000

Numerical Data



Hairs	Eyes
brown	black
blond	blue
black	green
red	brown

Categorical Data

Boolean and Categorical Attributes


- A **boolean** attribute corresponding to a single item in a transaction, if that item appears, the boolean attribute is set to '1' or '0' otherwise.
- A **categorical** attribute may have several values, each value can be treated as an item and represented by a boolean attribute.

Market Basket Data

- A transaction represents one customer, and each transaction contains set of items purchased by the customer.
- Clustering customers reveals customers with similar buying patterns putting them into the same cluster.
- It is useful for
 - Characterizing different customer groups
 - Targeted Marketing
 - Predict buying patterns of new customers based on profile
- A market basket database: A scenario where attributes of data points are non-numeric, transaction viewed as records with boolean attributes corresponding to a single item (TRUE if transaction contain item, FALSE otherwise).
- **Boolean** attributes are special case of **Categorical** attributes.

Shortcomings of Traditional Clustering

- For categorical data we:
 - Define new criterion for *neighbors* and/or *similarity*
 - Define the ordering criterion
- Consider the following 4 market basket transactions



- using Euclidean distance to measure the closeness between all pairs of points, we find that $d(P1, P2)$ is the smallest distance: **it is equal to 1**

Shortcomings of Traditional Clustering

- If we use a hierarchical algorithm then we merge P1 and P2 and get a new cluster (P12) with (1, 1, 0.5, 1) as a centroid
- Then, using Euclidean distance again, we find:
 - $d(p_{12}, p_3) = \sqrt{3.25}$
 - $d(p_{12}, p_4) = \sqrt{2.25}$
 - $d(p_3, p_4) = \sqrt{2}$
- So, **we should merge P3 and P4** since the distance between them is the shortest.
- **However, T3 and T4 don't have even a single common item.**
- So, using distance metrics as similarity measure for **categorical** data is not appropriate.

P1= (1, 1, 1, 1)
P2= (1, 1, 0, 1)
P3= (0, 0, 1, 0)
P4= (0, 0, 0, 1)

Clustering Algorithms for Categorical/Transactional Data

- K-Modes
- ROCK
- CLOPE
- TX-Means

K-Modes

$$\text{Minimise } P(W, \mathbf{Q}) = \sum_{l=1}^k \sum_{i=1}^n w_{i,l} d(X_i, Q_l)$$

$$\text{subject to } \sum_{l=1}^k w_{i,l} = 1, \quad 1 \leq i \leq n$$
$$w_{i,l} \in \{0, 1\}, \quad 1 \leq i \leq n, 1 \leq l \leq k$$

- $X = \{X_1, \dots, X_n\}$ is the dataset of objects.
- $X_i = [x_1, \dots, x_m]$ is an object i.e., a vector of m categorical attributes
- W is a matrix $n \times k$, with $w_{i,l}$ equal to 1 if X_i belongs to Cluster l , 0 otherwise.
- $Q = \{Q_1, \dots, Q_k\}$ is the set of representative objects (mode) for the k clusters.
- $d(X_i, Q_l)$ is a distance function for objects in the data

K-Modes: Distance

- K-Means as distance uses Euclidean distance

$$d(X, Y) = \sum_{i=1}^m (x_i - y_i)^2$$

- K-Modes as distance uses the number of mismatches between the attributes of two objects.

$$d_1(X, Y) = \sum_{j=1}^m \delta(x_j, y_j)$$

$$\delta(x_j, y_j) = \begin{cases} 0 & (x_j = y_j) \\ 1 & (x_j \neq y_j) \end{cases}$$

K-Modes: Mode

- K-Modes uses the mode as representative object of a cluster
- Given the set of objects in the cluster C_l the mode is get computing the max frequency for each attribute

$$f_r(A_j = c_{l,j} | X_l) = \frac{n_{c_{l,k}}}{n}$$

K-Modes: Algorithm

1. Randomly select the initial objects as modes
2. Scan of the data to assign each object to the closer cluster identified by the mode
3. Re-compute the mode of each cluster
4. Repeat the steps 2 and 3 until no object changes the assigned cluster

ROCK: RObust Clustering using link

- ROCK is a **hierarchical** algorithm for clustering transactional data (market basket databases)
- ROCK uses **links to cluster** instead of the classical distance notion
- ROCK uses the notion of **neighborhood** between pair of objects to identify **the number of links** between two objects

ROCK: The Neighbors Concept

- It captures a notion of **similarity**
 - A and B are neighbors if $\text{sim}(A, B) \geq \theta$
- ROCK uses the **Jaccard coefficient**
 - $\text{sim}(A, B) = |A \cap B| / |A \cup B|$

$$A = \{1, 3, 4, 7\}$$


$$B = \{1, 2, 4, 7, 8\}$$



$$\text{sim}(A, B) = \frac{3}{6} = \frac{1}{2} = 0.5$$

ROCK: Links

- A **link** defines the number of common neighbors between two objects:
- $\text{link}(A, B) = |\text{neighbor}(A) \cap \text{neighbor}(B)|$
- Higher values of $\text{link}(A, B)$ means higher probability that A and B belong to the same cluster
- **Similarity** is **local** while **link** is capturing **global** information
- A point is considered a neighbor of itself
- There is a link from each neighbor of the “root” point back to itself through the root
- Therefore, if a point has n neighbors, then n^2 links are due to it.



ROCK: Example

- Data consisting of 6 Attributes: {Book, Water, Sun, Sand, Swimming, Reading}
 - {Book}
 - {Water, Sun, Sand, Swimming}
 - {Water, Sun, Sand, Reading}
 - {Reading, Sand}

- Resulting Jaccard Coefficient Matrix

	A	B	C	D
A	1	0	0	0
B	0	1	0.6	0.2
C	0	0.6	1	0.5
D	0	0.2	0.5	1

- Set Threshold = 0.2. Neighbors:

- $N(A) = \{A\}$; $N(B) = \{B, C, D\}$
- $N(C) = \{B, C, D\}$, $N(D) = \{B, C, D\}$

- Number of Links Table

- $\text{Link}(B, C) = |\{B, C, D\}| = 3$

	A	B	C	D
A	1	0	0	0
B	0	3	3	3
C	0	3	3	3
D	0	3	3	3

- Resulting Clusters after applying ROCK: {A}, {B,C,D}

ROCK – Criterion Function

Maximize

$$E_l = \sum_{i=1}^k n_i * \sum_{p_q, p_r \in C_i} \frac{\text{link}(p_q, p_r)}{n_i^{1+2f(\theta)}}$$

$$f(\theta) = \frac{1-\theta}{1+\theta}$$

Dividing by the number of expected links between pairs of objects in the cluster C_i we avoid that objects with a low number of links are assigned all to the same cluster

Where C_i denotes cluster i
 n_i is the number of points in C_i
 k is the number of clusters
 θ is the similarity threshold

This goodness measure helps to identify the best pair of clusters to be merged during each step of ROCK.

$$g(C_i, C_j) = \frac{\text{link}[C_i, C_j]}{(n_i + n_j)^{1+2f(\theta)} - n_i^{1+2f(\theta)} - n_j^{1+2f(\theta)}}$$

Number of expected cross-links between two clusters

ROCK: Clustering Algorithm

Input:

- A set S of data points
- Number of k clusters to be found
- The similarity threshold

Output:

- Groups of clustered data

The ROCK algorithm is divided into three major parts:

1. Draw a random sample from the data set
2. Perform a hierarchical agglomerative clustering algorithm
3. Label data

ROCK: Clustering Algorithm

Draw a random sample from the data set:

- Sampling is used to ensure scalability to very large data sets
- The initial sample is used to form clusters, then the remaining data on dataset is assigned to these clusters

ROCK: Clustering Algorithm

Perform a hierarchical agglomerative clustering algorithm:

- ROCK performs the following steps which are common to all hierarchical agglomerative clustering algorithms, but with different definition to the similarity measures:
 1. Places each single data point into a separate cluster
 2. Compute the similarity measure for all pairs of clusters
 3. Merge the two clusters with the highest similarity (goodness measure)
 4. Verify a stop condition. If it is not met, then go to step 2.

ROCK: Clustering Algorithm

Label data

- Finally, the remaining data points are assigned to the clusters.
- This is done by selecting a random sample L_i from each cluster C_i , then we assign each point p to the cluster for which it has the strongest linkage with L_i .

ROCK Summary


Input: dataset, number of clusters.

1. Draw a random sample from the data set
2. Places each data point into a separate cluster
3. Compute the similarity measure for all pairs of clusters
4. Merge the two clusters with the highest similarity
5. Verify a stop condition. If it is not met, then go to step 2.
6. Assign not used points to clusters using linkage similarity with respect to selected samples from each cluster

CLOPE: Clustering with sLOPE

- Transactional clustering efficient for high dimensional data
- Uses a **global criterion function** that tries to increase the intra-cluster overlapping of transaction items **by increasing the height-to-width ratio of the cluster histogram**.

Example: 5 transactions {a,b} {a,b,c} {a,c,d} {d,e} {d,e,f}





Higher H/W means higher item overlapping

CLOPE: Criterion Function

- For evaluating the goodness of a clustering the **gradient of a cluster** is
- $G(C)=H(C)/W(C)=S(C)/W(C)^2$

Repulsion.

When r is large,
transactions within the
same cluster must
share a large portion of
common items.


$$Profit_r(C) = \frac{\sum_{i=1}^k \frac{S(C_i)}{W(C_i)^r} \times |C_i|}{\sum_{i=1}^k |C_i|}$$

CLOPE: Algorithm

```
/* Phrase 1 - Initialization */
1: while not end of the database file
2:   read the next transaction  $\langle t, \text{unknown} \rangle$ ;
3:   put  $t$  in an existing cluster or a new cluster  $C_i$ 
   that maximize profit;
4:   write  $\langle t, i \rangle$  back to database;

/* Phrase 2 - Iteration */
5: repeat
6:   rewind the database file;
7:    $moved = \mathbf{false}$ ;
8:   while not end of the database file
9:     read  $\langle t, i \rangle$ ;
10:    move  $t$  to an existing cluster or new cluster  $C_j$ 
    that maximize profit;
11:    if  $C_i \neq C_j$  then
12:      write  $\langle t, j \rangle$ ;
13:       $moved = \mathbf{true}$ ;
14: until not  $moved$ ;
```

CLOPE Summary

Input: dataset, repulsion, maximum number of clusters

- Phase 1

1. For each transaction, add it to a new cluster or to an existing one such that the profit is maximized


- Phase 2

1. For each transaction, try to move it to another cluster and do it if this maximizes the profit
2. Repeat 1. until all the transactions remain in the same cluster


TX-MEANS

- A parameter-free clustering algorithm able to efficiently partitioning transactional data automatically
- Suitable for the case where clustering must be applied on a massive number of different datasets
 - E.g.: when a large set of users need to be analyzed individually and each of them has generated a long history of transactions
- TX-Means automatically estimates **the number of clusters**
- TX-Means provides the **representative transaction** of each cluster, which summarizes the pattern captured by that cluster.

How It Works 1/3




How It Works 2/3



How It Works 3/3

- Clusters



- Representative Baskets



TX-Means Algorithm

TXMEANS(*B*: baskets):


- $r \leftarrow \text{GETREPR}(B);$ ← representative basket
- $Q.\text{push}(B, r);$
- While there is a cluster B, r to split in Q :
 - Remove common items from B ;
 - $B_1, B_2, r_1, r_2 \leftarrow \text{BISECTBASKET}(B);$ ← bisecting schema
 - If $\text{BIC}(B_1, B_2, r_1, r_2) > \text{BIC}(B, r)$ Then: ← stopping criterion
 - add B_1, B_2, r_1, r_2 to the clusters to split Q ;
 - Else
 - add B, r to the clustering result C ;
- Return C ;

Bisecting Schema

BISECTBASKET(B: baskets):

- SSE `<--` inf;
- r1, r2 `<--` select random initial baskets in B as representative;
- While True:
 - C1, C2 `<--` assign baskets in B with respect to r1, r2;
 - r1_new `<--` **GETREPR**(C1); r2_new `<--` **GETREPR**(C2);
 - SSE_new `<--` **SSE**(C1, C2, r1_new, r2_new);
 - If SSE_new `>=` SSE Then:
 - Return C1, C2, r1, r2;
 - r1, r2 `<--` r1_new, r2_new;

overlap-based
distance function:
Jaccard coefficient




Get Representative Baskets

GETREPR(B: baskets):

- `I` `<--` not common items in `B`;
- `r` `<--` common items in `B`;
- **While** `I` is not empty:
 - Add to `r` the items with maximum frequency in `I`;
 - Calculate the **distance** between `r` and the baskets in `B`;
 - **If** the **distance** no longer decreases **Then**:
 - **Return** `r`;
 - **Else**
 - remove from `I` the items with maximum frequency;
- **Return** `r`;

overlap-based distance
function (Jaccard
coefficient)



Dealing with Big Datasets

- Clustering of a big individual transactional dataset B .
- TX-Means is scalable thanks to the following sampling strategy.
- Sampling strategy:
 - Random selection of a subset S of the baskets in B ;
 - Run of TX-Means on the subset S and obtain clusters C and representative baskets R ;
 - Assign the remaining baskets B/S to the clusters C using a nearest neighbor approach with respect to the representative baskets R .

References

- Guha, S., et al. ROCK: A robust clustering algorithm for categorical attributes. 2000.
- Yang, Y., et al. CLOPE: a fast and effective clustering algorithm for transactional data. 2002.
- Guidotti, R., et al. Clustering individual transactional data for masses of users. 2017.

X-means: Extending K-means with Efficient Estimation of the Number of Clusters

Dan Pelleg
Andrew Moore
School of Computer Science, Carnegie Mellon University, Pittsburgh, PA 15213 USA

Abstract
Despite its popularity for general clustering, K-means suffers three major shortcomings: it scales poorly computationally, the number of clusters K has to be supplied by the user, and the search is prone to local minima. We propose solutions for the first two problems, and a partial remedy for the third. Building on prior work for algorithmic acceleration that is not based on approximation, we introduce a new algorithm that efficiently searches the space of cluster locations and number of clusters to optimize the Bayesian Information Criterion (BIC) or the Akaike Information Criterion (AIC) measure. The innovations include two new ways of exploiting exact sufficient statistics and a new very efficient test that in one K-means sweep selects the most promising subset of classes for refinement. This gives rise to a fast, statistically founded algorithm that outputs both the number of classes and their parameters. Experiments show this technique reveals the true number of classes in the underlying distribution, and that it is much faster than repeatedly using accelerated K-means for different values of K .

1. Introduction
K-means (Duda & Hart, 1973; Bishop, 1995) has long been the workhorse for metric data. Its attractiveness lies in its simplicity, and in its local-minimum convergence properties. It has, however, three major shortcomings. One, it is slow and scales poorly with

Clustering Individual Transactional Data for Masses of Users
Riccardo Guidotti
ISTI-CNR & University of Pisa, Italy
riccardo.guidotti@isti.cnr.it


Fosca Giannotti
ISTI-CNR, Pisa, Italy
fosca.giannotti@isti.cnr.it

ABSTRACT
Mining a large number of datasets recording human activities for making sense of individual data is the key enabler of a new wave of personalized knowledge-based services. In this paper we focus on the problem of clustering individual transactional data for a large mass of users. Transactional data is a very pervasive kind of information that is collected by several services, often involving huge pools of users. We propose *trmeans*, a parameter-free clustering algorithm able to efficiently partitioning transactional data in a completely automatic way. *Trmeans* is designed for the case where clustering must be applied on a massive number of different datasets, for instance when a large set of users need to be analyzed individually and each of them has generated a long history of transactions. A deep experimentation on both real and synthetic datasets show the practical effectiveness of *trmeans* for the mass clustering of different personal datasets, and suggests that *trmeans* outperforms existing methods in terms of quality and efficiency. Finally, we present a personal cart assistant application based on *trmeans*.

1 INTRODUCTION
The most disruptive effect of our always-connected society is data, the digital breadcrumbs left behind us as a side effect of our everyday usage of digital technologies. Thanks to these data, human activities are becoming observable, measurable, quantifiable and, predictable. At individual level, each person generates more than 500 of data per year. An avalanche of information that, for the most part, consists of *transactions* (or baskets), i.e., a special kind of categorical data in the form of sets of event data, such as the items purchased in a shopping cart, the web pages visited in a browsing session, the songs listened in a time period, the clinical events in a patient's history. Such kind of data may be key enablers of a new wave of knowledge-based services, and of new scientific discoveries.

Several application contexts involve the analysis of a large number of datasets, each one characterized by different properties. For instance, this is the case of individual transactional data - retail sales, web sessions, credit card transactions, etc. - where each user produces historical data that need to be analyzed separately.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. To copy otherwise, to republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee.
Request permission from permissions@acm.org.
ACM 978-1-4558-487-7/09...\$10.00
DOI: 10.1145/1630933.1630944



CLOPE: A Fast and Effective Clustering Algorithm for Transactional Data

Yiling Yang Xudong Guan Jinyuan Yang
Dept. of Computer Science & Engineering, Shanghai Jiao Tong University
Shanghai, 200030, P.R.China
+86-21-52981638
(yang-yi, guan-xd, you-yyj@cs.sjtu.edu.cn)

ABSTRACT
This paper studies the problem of categorical data clustering, especially for transactional data characterized by high dimensionality and large volume. Starting from a heuristic method of increasing the height-to-width ratio of the cluster histogram, we develop a novel algorithm - CLOPE, which is very fast and scalable, while being quite effective. We demonstrate the performance of our algorithm on two real world datasets, and compare CLOPE with the state-of-art algorithm.

Keywords
data mining, clustering, categorical data, scalability

1. INTRODUCTION
Clustering is an important data mining technique that groups together similar data records [12, 14, 4, 1]. Recently, more attention has been put on clustering categorical data [10, 8, 5, 5, 7, 13]. These records are made up of non-numerical attributes. Transactional data, like market basket data and web usage data, can be thought of a special type of categorical data having boolean value, with all the possible items as attributes. Fast and accurate clustering of transactional data has many potential applications in retail industry, e-commerce intelligence, etc.




Figure 1. Histograms of the two clustering. We judge the qualities of these two clusterings geometrically, by analyzing the heights and widths of the clusters. Leaving out the two identical histograms for cluster $\{dc, def\}$ and cluster $\{ab, abc\}$, the other two histograms are of different quality. The histogram for cluster $\{ab, abc, acd\}$ has only 4 distinct items for 8 blocks ($H=2.0$, $W=0.5$), but the one for cluster $\{acd, de, def\}$ has 5, for

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. To copy otherwise, to republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee.
SIGKDD '02, July 23-26, 2002, Edmonton, Alberta, Canada.
Copyright 2002 ACM 1-58113-567-X/02/0007...\$5.00.

Exercises Transactional Clustering

Rock – Exercise 1

- Suppose we have four verses contains some subjects , as follows:
- P1={ judgment, faith, prayer, fair}
- P2={ fasting, faith, prayer}
- P3={ fair, fasting, faith}
- P4={ fasting, prayer, pilgrimage}
- **the similarity threshold = 0.3, and number of required cluster is 2.**

Using Jaccard coefficient as a similarity measure, we obtain the following similarity table

	P1	P2	P3	P4
P1	1	0.4	0.4	0.17
P2		1	0.5	0.5
P3			1	0.2
P4				1

Rock – Exercise 1

- Since we have a similarity threshold equal to 0.3, then we derive the adjacency table: →
- By multiplying the adjacency table with itself, we derive the following table which shows the number of links (or common neighbors): →

	P1	P2	P3	P4
P1	1	0.4	0.4	0.17
P2		1	0.5	0.5
P3			1	0.2
P4				1

	P1	P2	P3	P4
P1	1	1	1	0
P2		1	1	1
P3			1	0
P4				1

	P1	P2	P3	P4
P1	-	3	3	1
P2		-	3	2
P3			-	1
P4				-

Rock – Exercise 1

- we compute the goodness measure for all adjacent points ,assuming that
- $f(\theta) = 1-\theta / 1+\theta = 1-0.3 / 1+0.3 = 0.54$
- we obtain the following table→
- we have an equal goodness measure for merging ((P1,P2), (P2,P3), (P3,P1))

$$g(P_i, P_j) = \frac{\text{link}[P_i, P_j]}{(n+m)^{1+2f(\theta)} - n^{1+2f(\theta)} - m^{1+2f(\theta)}}$$

Pair	Goodness measure
P1,P2	1.35
P1,P3	1.35
P1,P4	0.45
P2,P3	1.35
P2,P4	0.90
P3,P4	0.45

Rock – Exercise 1

- Now, we start the hierarchical algorithm by merging, say P1 and P2.
- A new cluster (let's call it $C(P1,P2)$) is formed.
- It should be noted that for some other hierarchical clustering techniques, we will not start the clustering process by merging P1 and P2, since $\text{Sim}(P1,P2) = 0.4$, which is not the highest. But, ROCK uses the number of links as the similarity measure rather than distance.

Rock – Exercise 1

- Now, after merging P1 and P2, we have only three clusters. The following table shows the number of common neighbors for these clusters:→
- Then we can obtain the following goodness measures for all adjacent clusters:→

	C(P1,P2)	P3	P4
C(P1,P2)	-	3+3	2+1
P3		-	1
P4			-

Pair	Goodness measure
C(P1,P2),P3	1.31
C(P1,P2),P4	0.66
P3,P4	0.45

Rock – Exercise 1

- Since the number of required clusters is 2, then we finish the clustering algorithm by merging $C(P1,P2)$ and $P3$, obtaining a new cluster $C(P1,P2,P3)$ which contains $\{P1,P2,P3\}$ leaving $P4$ alone in a separate cluster.

Rock – Exercise 2

- Given the following similarity matrix find the clustering result knowing that the similarity threshold = 0.4, and number of required cluster is 2.

	p1	p2	p3	p4	p5
p1	1	0.7	0.2	0.5	0.5
p2		1	0.6	0.8	0.1
p3			1	0.5	0.4
p4				1	0.3
p5					1

Rock – Exercise 2 – Solution

	p1	p2	p3	p4	p5
p1	1	0.7	0.2	0.5	0.5
p2		1	0.6	0.8	0.1
p3			1	0.5	0.4
p4				1	0.3
p5					1

	p1	p2	p3	p4	p5
p1	1	1	0	1	1
p2	1	1	1	1	0
p3	0	1	1	1	1
p4	1	1	1	1	0
p5	1	0	1	0	1

Rock – Exercise 2 – Solution

	p1	p2	p3	p4	p5
p1	1	1	0	1	1
p2	1	1	1	1	0
p3	0	1	1	1	1
p4	1	1	1	1	0
p5	1	0	1	0	1

	p1	p2	p3	p4	p5
p1	-	3	3	3	2
p2		-	3	4	2
p3			-	3	2
p4				-	2
p5					-

Rock – Exercise 2 – Solution

- $f(\theta) = 1 - \theta / 1 + \theta = 1 - 0.4 / 1 + 0.4 = 0.43$
- $1 + 2f(\theta) = 1.86$

$$g(P_i, P_j) = \frac{\text{link}[P_i, P_j]}{(n+m)^{1+2f(\theta)} - n^{1+2f(\theta)} - m^{1+2f(\theta)}}$$

	p1	p2	p3	p4	p5
p1	-	3	3	3	2
p2		-	3	4	2
p3			-	3	2
p4				-	2
p5					-

	p1	p2	p3	p4	p5
p1	-	1.84	1.84	1.84	1.22
p2		-	1.84	2.45	1.22
p3			-	1.84	1.22
p4				-	1.84
p5					-

Rock – Exercise 2 – Solution

- $f(\theta) = 1 - \theta / 1 + \theta = 1 - 0.4 / 1 + 0.4 = 0.43$
- $1 + 2f(\theta) = 1.86$

$$g(P_i, P_j) = \frac{\text{link}[P_i, P_j]}{(n + m)^{1+2f(\theta)} - n^{1+2f(\theta)} - m^{1+2f(\theta)}}$$

	p1	p2	p3	p4	p5
p1	-	3	3	3	2
p2		-	3	4	2
p3			-	3	2
p4				-	2
p5					-

	p1	p2p4	p3	p5
p1	-	6	3	2
p2p4		-	6	4
p3			-	2
p5				-

	p1	p2p4	p3	p5
p1	-	1.94	1.84	1.22
p2p4		-	1.94	1.29
p3			-	1.22
p5				-

- *Final Clusters: p1234 p5*

Clope Exercise 1

Split1:

- 4 transactions: abc, abc, ab, a
 - a: 4, b:3, c: 2 -> sol: S=9; W=3; H=9/3=3; H/W=1
- 3 transactions: def, de, de
 - d: 3, e:3, f: 1 -> sol: S=7; W=3; H=7/3=2.33; H/W=0.77

Split2:

- 2 transactions: abcd, ab
 - a: 2, b:2, c: 1, d:1 -> sol: S=6; W=4; H=6/4=1.5; H/W=0.37
- 2 transactions: ec, ec
 - e:2, c: 2 -> sol: S=4; W=2; H=4/2=2; H/W=1

Split1 is the best clustering considering $r=2$

$$\text{Profit}(\text{Split1}) = (9/3^2 * 4 + 7/3^2 * 3) / 7 = 0.90$$

$$\text{Profit}(\text{Split2}) = (6/4^2 * 2 + 4/2^2 * 2) / 4 = 0.16$$

$$\text{Profit}_r(\mathbf{C}) = \frac{\sum_{i=1}^k \frac{S(C_i)}{W(C_i)^r} \times |C_i|}{\sum_{i=1}^k |C_i|}$$