
### Business Processes Modelling MPB (6 cfu, 295AA)




#### Roberto Bruni

http://www.di.unipi.it/~bruni

03 - Evolution

### Object



Overview of the evolution of (Information Systems inside) Enterprise Systems Architectures


### Guiding principles

Modularity and information hiding (encapsulation, interfaces, reuse, maintainability, response to change)

#### Software Architecture

**Definition**: A software architecture defines a structure that organizes the software elements and the resources of a software system.

### Gartner's hype cycle



### Early (architectures)

**GUI Advanced Application** user interfaces **Application Application Physical data** independence **Programming DBMS DBMS Database** Database interfaces OS OS OS

1980

1970

Monolithic applications developed from scratch

Porting required redevelopment

Data dependency and consistency issues

Application code and (textual) user interfaces still entangled

> Data management as a primary concern

1990

Human interaction made easier

M. Weske: Business Process Management,© Springer-Verlag Berlin Heidelberg 2007


### Enterprise Applications

OS + DBMS + GUI + Networking capabilities = more and more elaborate information systems could be engineered

Typically hosting enterprise applications (customers, personnel, products, resources)

From individual to multiple information systems (needs integration)

# Individual enterprise application



#### Changes

Changes were hard to implement!

Hard to track data dependency and replication

Any modification of an application was a complex and error-prone activity, with domino effect (e.g. change of customer address format)


#### ERP

Enterprise Resource Planning (ERP) systems to deal with the increasing complexity of changes

#### Basic idea

integrated database that spans most applications, separated modules provide desired functionalities, accessed by client applications

# Enterprise resource planning systems



**ERP** 

#### CRM and SCM

New types of sw entered the market around 2000

Customer Relationship Management (CRM) systems Supply Chain Management (SCM) systems

#### Goal

to support the planning, operation, and control of supply chains, including inventory management, warehouse management, management of suppliers and distributors, and demand planning

Problem: different vendors, separately developed


# Siloed enterprise applications

**Lack of Integration!** 

Data Integration would provide valuable information

Data redundancy!

**Data dependencies!** 



Connected on local network, but not logically integrated

### Heterogeneity

Heterogeneity of data and their attributes (syntax and semantics difficulties) calls for Data Integration

#### **Examples**

corresponding data fields with different names (e.g., CustAddr vs CAstreet),

fields with the same name but different meaning (e.g. Price: with or without taxes? unitary?)

#### Integration

Manual integration is possible, but:

it consumes considerable resources

it is error-prone

cannot foreseen all applications in advance (reimplementing functionalities in an integrated way would just postpone the problem)

#### **Solution**


Enterprise Application Integration systems as a new middleware

### Enterprise Application Integration


**Definition**: Enterprise Application Integration (EAI) is defined as the use of software and computer systems architectural principles to integrate a set of enterprise computer applications.

## Point-to-point integration (of silos)

N x N hard-wiring problem!



## Message-oriented middleware



#### Response to Change

Message-oriented middleware reduces in part integration efforts and gives important run-time guarantees

Still cooperation is hardwired in a particular application (the Integration Application)

No explicit process model that can be documented, communicated, and changed when necessary

In the end, response to change is not improved


#### Hub-and-Spoke

The Hub-and-Spoke paradigm is based on a central hub and a number of spokes attached to it

The Application Integration middleware represents the hub, and the applications to be integrated represents the spokes

Interactions between any two applications must pass through the hub

# Hub-and-spoke integration



#### EAI implementation pitfalls

70% of all EAI projects fail (2003). Most of these failures are not due to technical difficulties, but due to management issues:

Constant change

Shortage of EAI experts

Competing standards

Loss of detail: Information unimportant at an earlier stage may become crucial later

Data protectionism

### From (data-models and) data-integration

To (process-models and) process-integration

## Value Chains and Process Orientation

Two major factors fuelled business process management

#### Value chains


as a means to functionally break down the activities a company performs

#### **Process orientation**

as the way to organize the activities of enterprises


### Workflow component

**Definition**: a single-application workflow consists of activities and their causal and temporal ordering that are realized by one common application system.




## Multiple-application workflow system

Definition: a multiple-application workflow contains activities that are realized by multiple application systems, providing an integration of these systems.




#### System workflow

**Definition**: a **system workflow** consists of activities that are implemented by software systems without any user involvement.



# Workflows fit well with hub-and-spokes EAI



M. Weske: Business Process Management © Springer-Verlag Berlin Heidelberg 2007

# Limitations in workflow management

Technical integration problems:

Scarcely documented applications

Different levels of granularity

Tight coupling of applications (direct invocation)

# Enterprise service computing

#### Main idea:

Business functionalities exposed as services

Services are equipped with usage information

Customers can find services and use them

#### Services

**Definition**: Services are loosely-coupled computing tasks that can be dynamically **discovered** and **invoked** over the network.

Each service comes with a service description that can be published in service registries by the service provider.

Service registries can be queried by service requestors.

Service descriptions provide a level of detail that facilitates service requestors to **bind** and **invoke** them.

## Service-oriented architectures

**Definition:** Service-oriented architectures (SOA) are software architectures that provide an environment for describing and finding software services, and for binding to services.

## Service-oriented architectures


Service Requestor

Service Provider

Service Registry



## Service enabled application system




M. Weske: Business Process Management Springer-Verlag Berlin Heidelberg 2007

## Composite service based application

Intra-company

well-expressed as business processes



**Local registry** 

Manual search (absence of dynamic matchmaking)

M. Weske: Business Process Management, © Springer-Verlag Berlin Heidelberg 2007

#### Advantages of SOA

Reuse of functionality at coarse level of granularity

New applications can be built with less effort

Existing applications can be efficiently adapted to changing requirements

Reduced maintenance and development costs

#### Products as services

Corporations are increasingly perceived by the set of services they provide

These services exposed to the market can be realized by enterprise services (provided by the back-end application system)

Also services provided by third parties can be integrated so that better end used services can be provided to the customer

