


Business Processes Modelling

MPB (6 cfu, 295AA)


Roberto Bruni

<http://www.di.unipi.it/~bruni>

04 - Models and Abstraction



Object



Overview of the conceptual models
and abstraction mechanisms
in business process modeling

Model

A model is a simplified representation of reality

*"Essentially all models are wrong,
but some are useful"*
(George P. Box)

Abstraction

To derive general rules and concepts
from specific examples of some phenomenon,
by selecting only the aspects which are relevant
for a particular purpose

A way to cope with complexity

Guiding principle

Separation of Concerns (SoC)

(to separate a system into distinct features that overlap in functionality as little as possible)

E. W. Dijkstra Archive

the manuscripts of

Edsger W. Dijkstra

1930–2002

Search transcriptions:

Search

[Advanced search.](#)

[Home](#)

[Search](#)

Numerical
EWD Index:

[00xx](#)
[01xx](#)
[02xx](#)
[03xx](#)
[04xx](#)
[05xx](#)
[06xx](#)
[07xx](#)
[08xx](#)
[09xx](#)
[10xx](#)
[11xx](#)
[12xx](#)
[13xx](#)



©2002 Hamilton Richards)

(photo

Edsger Wybe Dijkstra was one of the most influential members of computing science's founding generation. Among the domains in which his scientific contributions are fundamental are

- algorithm design
- programming languages
- program design
- operating systems
- distributed processing
- formal specification and verification
- design of mathematical arguments

In addition, Dijkstra was intensely interested in teaching, and in the relationships between academic computing science and the software industry.

<http://www.cs.utexas.edu/users/EWD/>

On the role of scientific thought (EWD447)

*Let me try to explain to you, what to my taste is **characteristic for all intelligent thinking.***



*It is, that one is willing to study in depth an aspect of one's subject matter **in isolation for the sake of its own consistency**, all the time knowing that one is occupying oneself only with one of the aspects.*

On the role of scientific thought (EWD447)

...

*We know that a program must be **correct** and we can study it from that viewpoint only;*

*we also know that it should be **efficient** and we can study its efficiency on another day, so to speak.*

*In another mood we may ask ourselves whether, and if so: why, the program is **desirable**.*

But nothing is gained —on the contrary!— by tackling these various aspects simultaneously.

On the role of scientific thought (EWD447)

...

*It is what I sometimes have called "**the separation of concerns**", which, even if not perfectly possible, is yet the only available technique for effective ordering of one's thoughts, that I know of.*

...

*it does not mean ignoring the other aspects, it is just doing justice to the fact that
from this aspect's point of view, the other is irrelevant.*

On the role of scientific thought (EWD447)

*Business data processing systems are sufficiently complicated to require such a separation of concerns and the suggestion that in that part of the computing world "scientific thought is a non-applicable luxury" puts the cart before the horse: the mess they are in has been caused by **too much unscientific thought....***

SoC: an example

HyperText Markup Language (HTML):
organization of webpage content

Cascading Style Sheets (CSS):
definition of content presentation style

JavaScript (JS):
user interactions

Abstractions


Horizontal: separation at different modeling levels

Aggregation: separation at different granularity levels

Vertical: separation at different subdomains


Horizontal Abstraction

Horizontal abstraction (modeling levels)




M. Weske: Business Process Management,
© Springer-Verlag Berlin Heidelberg 2007


An example: MOF metamodel (OMG)



Process models and process instances




A process metamodel (level M2)



M. Weske: Business Process Management,
© Springer-Verlag Berlin Heidelberg 2007

Process models and process instances



M. Weske: Business Process Management,
© Springer-Verlag Berlin Heidelberg 2007


Aggregation Abstraction

Aggregation abstraction

Multiple elements of a lower level of granularity can be grouped and represented by a single artifact at the higher level of granularity

Different from horizontal abstraction, where all entities lie at the same level of granularity


A sample aggregation



Vertical Abstraction

Vertical abstraction (domain separation)

BPM includes multiple modelling domains,
integrated by Process Modelling




Function models

Units of work enacted by processes
(at different levels of granularity)

Informal description, textual documents
(coarse-grain business level)

Formal description, function specifications
(fine-grain software layer)




High-level business functions

The value chain of a company has a rich internal structure, consisting of a set of coarse-grained business functions
(e.g. Order management, Human resources)

High-level business functions can be decomposed into finer-grained functions
(this is called **functional decomposition**)
(e.g. from “Order management” to “storing” and “checking” orders)


Activity models and activity instances





Information models

Data representation is crucial:
all decisions made during a business process
depends on data values

Data dependencies between activities
are also important
(ensure data-availability, reduce waiting time)



Data models




M. Weske: Business Process Management,
© Springer-Verlag Berlin Heidelberg 2007


Organizational models

Organizational structure must be represented


Activities must be associated
to specific roles or departments





Organizational models



M. Weske: Business Process Management,
© Springer-Verlag Berlin Heidelberg 2007



An organizational metamodel




M. Weske: Business Process Management,
© Springer-Verlag Berlin Heidelberg 2007


IT landscape

Many activities in a business process are supported by information systems


Information systems and programming interfaces needs to be represented because they provide functionalities



Interface Definition Languages



M. Weske: Business Process Management,
© Springer-Verlag Berlin Heidelberg 2007




Process models



Define the glue between the subdomains

Relate functions and execution constraints


Relate data values with process instances
(e.g. the process of a credit approval may depend on the requested amount)



A process model with role information



A process instance with workers information



M. Weske: Business Process Management,
© Springer-Verlag Berlin Heidelberg 2007

