
Methods for the specification and verification of business processes MPB (6 cfu, 295AA)



Roberto Bruni


http://www.di.unipi.it/~bruni

13 - Analysis of WF nets

Object




We study suitable soundness properties of Workflow nets




No entry / exit point for a case

no entry: when should the case start?
no exit: when should the case end?
ruled out by definition of workflow nets



Multiple entry / exit point for a case

multiple entry: when should the case start? multiple exit: when should the case end? ruled out by definition of workflow nets





Tasks t without incoming and/or outgoing arcs

no input: when should t be carried out?
no output: t does not contribute to case completion ruled out by definition of workflow nets


Wrong decoration of transitions


split with only one outgoing arc





join with only one incoming arc






left to designer responsibility

Activity analysis

Dead tasks


Tasks that can never be carried out Each transitions lies on a path from i to o: not sufficient



can arise in workflow nets

Token analysis

Some tokens left in the net after case completion



(when a token is in the final place the case should end) can arise in workflow nets

Activity analysis

Activities still take place after case completion

it can be a (worse) consequence of the previous flaw can arise in workflow nets


Token analysis

More than one token reach the end place


it can be a consequence of the above flaws can arise in workflow nets


Net analysis


Deadlock (stop before producing output)




a case blocks without coming to an end can arise in workflow nets









Exercise

Livelock (divergence without producing output)

a case is trapped in a cycle with no opportunity to end can arise in workflow nets

Draw a workflow net that suffers from livelock

Remark

All the previous flaws are typical errors
that can be detected
without any knowledge
about the actual content of the Business Process

Verification and validation

Verification aims to answer qualitative questions
Is there a deadlock possible?
Is it possible to successfully handle a specific case?
Will all cases terminate eventually?
Is it possible to execute a certain task?

Validation is concerned with the relation between the model and the reality How does a model fit log files? Which model does fit better?

Simulation techniques

Test analysis

Try and see if certain firing sequences are allowed by the workflow net

Using WoPeD:

Play (forward and backward) with net tokens Record certain runs (to replay or explain) Randomly select alternatives

Problem: how to make sure that all possible runs have been examined?

Reachability analysis

Verification by inspection

All possible runs of a workflow net are represented in its Reachability Graph (if finite)

Using WoPeD:

Total number of states is evident (a single run does not necessarily visit all nodes)

End states are evident (no outgoing arc)

Easy to check if dangerous or undesired states can arise (e.g. the green-green state in the two-traffic-lights)

Boundedness (for Nets)

Proposition:

The reachability graph of a net is finite

if and only if

the net is bounded

Boundedness (for Nets)

Proposition:

A net is unbounded

if and only if

its reachability graph is not finite

Coverability graph

A coverability graph is a finite over-approximation of the reachability graph

It allows for markings with infinitely many tokens in one place (called extended bags)

$$B: P \longrightarrow \mathbb{N} \cup \{\infty\}$$

Discover unbounded places

Suppose

$$M_0 \xrightarrow{t_1} M_1 \xrightarrow{t_2} M_2 \dots \xrightarrow{t_i} M_i \dots \xrightarrow{t_j} M_j$$

with $M_i \subset M_j$

Let $M=M_i$ and $M^\prime=M_j$ and $L=M^\prime-M$

By the monotonicity Lemma we have, for any $n \in \mathbb{N}$:

$$M \rightarrow^* M + L \rightarrow^* M + 2L \rightarrow^* \dots \rightarrow^* M + nL$$

Hence all places p marked by L (i.e. if L(p) > 0) are unbounded

Cover unbounded places

Idea:

When computing the RG, if M' is found s.t.

$$M_0 \to^* M \to^* M'$$
 with $M \subset M'$

Add the extended bag B (instead of M^{\prime}) to the graph

where
$$B(p) = \left\{ \begin{array}{ll} M'(p) & \text{ if } M'(p) - M(p) = 0 \\ \infty & \text{ otherwise} \end{array} \right.$$

A few remarks

Idea: mark unbounded places by ∞

Remind: $M \subset M'$ means that $M \subseteq M' \land M \neq M'$, i.e.,

- 1. for any $p \in P$, $M'(p) \ge M(p)$
- 2. there exists at least one place $q \in P$ such that M'(q) > M(q)

Remark:

Requiring $M_0 \to^* M \to^* M'$ is different than requiring $M, M' \in [M_0]$

Operations on extended bags

Inclusion: Let $B, B': P \to \mathbb{N} \cup \{\infty\}$ We write $B \subseteq B'$ if for any p we have $B'(p) = \infty$ or $B(p), B'(p) \in \mathbb{N} \wedge B(p) \leq B'(p)$

Sum: Let
$$B, B': P \to \mathbb{N} \cup \{\infty\}$$

$$(B+B')(p) = \begin{cases} \infty & \text{if } B(p) = \infty \text{ or } B'(p) = \infty \\ B(p) + B'(p) & \text{if } B(p), B'(p) \in \mathbb{N} \end{cases}$$

Compute a reachability graph

- 1. Initially $N = \{ M_0 \}$ and $A = \emptyset$
- 2. Take a bag $B \in N$ and a transition $t \in T$ such that
 - 1. B enables t and there is no arc labelled t leaving from B
- 3. Let B' = B t + t
- 4. Add B' to N and (B,t,B') to A
- 5. Repeat steps 2,3,4 until no new arc can be added


(all bags are finite in this case)


Compute a coverability graph


- 1. Initially $N = \{ M_0 \}$ and $A = \emptyset$
- 2. Take a bag $B \in N$ and a transition $t \in T$ such that
 - 1. B enables t and there is no arc labelled t leaving from B
- 3. Let B' = B t + t
- 4. Let B_c ' such that for any $p \in P$
 - 1. $B_c'(p) = \infty$ if there is a node $B'' \in N$ such that
 - 1. there is a direct path from B" to B in the graph computed so far
 - 2. $B'' \subseteq B'$


 $B'' \xrightarrow{\sigma} B \xrightarrow{t} B'$


- 3. B''(p) < B'(p)
- 2. $B_c'(p) = B'(p)$ otherwise
- 5. Add B_c' to N and (B,t,B_c') to A
- 6. Repeat steps 2,3,4,5 until no new arc can be added

















Properties of coverability graphs

A coverability graph is always finite, but it is not always uniquely defined (it depends on which B and t are selected at step 2)

Every firing sequence corresponds to a path in the CG (the converse is not necessarily true)

Any path in a CG that visits only finite markings corresponds to a valid firing sequence


If the RG is finite, then it coincides with the CG

Reachability analysis by coverability


All possible behaviours of a workflow net are represented exactly in the Reachability Graph (if finite)

We use Coverability Graph when necessary (RG not finite)

Do you see any problem in the workflow net below?



Which problem(s) in the workflow net below? How would you redesign the business process?



Soundness

Soundness of Business Processes

A process is called **sound** if

- 1. it contains no unnecessary tasks
- 2. every case is always completed in full
- 3. no pending items are left after case completion

Soundness of Workflow nets

A workflow net is called **sound** if

- 1. for each transition t, there is a marking M (reachable from i) that enables t
- 2. for each token put in place i, one token eventually appears in the place o
- 3. when a token is in place o, all other places are empty

Fairness assumption


Remark:

Condition 2 does not mean that iteration must be forbidden or bound


It says that from any reachable marking ${\cal M}$ there must be possible to reach o in some steps

Fairness assumption:

A task cannot be postponed indefinitely




1: no dead tasks



1: no dead tasks

The check must be repeated for each task


2: option to complete



2: option to complete

The check must be repeated for each reachable marking

3: proper completion



3: proper completion

The check must be repeated for each marking M such that M(o) = 1

Soundness, Formally

A workflow net is called **sound** if

no dead task no transition is dead

$$\forall t \in T. \; \exists M \in [i\rangle. \; M \xrightarrow{t}$$

option to complete place o is eventually marked

$$\forall M \in [i \rangle. \exists M' \in [M \rangle. M'(o) \ge 1$$

proper completion when o is marked, no other token is left

$$\forall M \in [i] . M(o) \ge 1 \Rightarrow M = o$$

Dead, live or non-live

A remark about terminology:

t is dead: its firing is always ruled out

t is **live**: its firing can never be ruled out

t is **non-live** = its firing is possibly ruled out

Brute-force analysis

First, check if the Petri net is a workflow net easy "syntactic" check

Second, check soundness (more involved)
build the Reachability Graph
to check 1: for each transition t there must be an arc in
the RG that is labelled with t
to check 2&3: the RG must have only one final state
(sink) and it must consists of one token in o

Some Pragmatic Considerations

All checks can better be done automatically (computer aided)

but nevertheless RG construction...

- 1. can be computationally expensive for large nets (because of state explosion)
- 2. provides little support in repairing unsound processes
 - 3. can be infinite (CG can be used, but it is not exact)




Advanced support


Translate soundness to other well-known properties that can be checked more efficiently:

boundedness and liveness


Play once




Play Twice



From N to N*





Strong connectedness of N*

Let us denote by $N: i \rightarrow o$ a workflow net with entry place i and exit place o.

Let N^* be the net obtained by adding the "reset" transition to N $reset: o \rightarrow i$.

Proposition:

 N^{*} is strongly connected.

Take two nodes of $(x,y) \in F_{N^*}$, we want to build a path from y to x

If $x, y \neq reset$, then

y lies on a path $i \to^* y \to^* o$, because N is a workflow net, x lies on a path $i \to^* x \to^* o$, because N is a workflow net, we combine the paths $y \to^* o \to reset \to i \to^* x$

Strong connectedness of N*

Let us denote by $N: i \rightarrow o$ a workflow net with entry place i and exit place o.

Let N^* be the net obtained by adding the "reset" transition to N $reset: o \rightarrow i$.

Proposition:

 N^* is strongly connected. We will x=o,y=reset, then take any path $i\to^* o$, we build the path $reset\to i\to^* o$

Take two nodes of $(x,y) \in F_{N^*}$, we want to build a path from y to x

Strong connectedness of N*

Let us denote by $N:i\to o$ a workflow net with entry place i and exit place o.

Let N^* be the net obtained by adding the "reset" transition to N $reset: o \rightarrow i$.

Proposition:

 N^* is strongly connected.

If x = reset, y = i, then take any path $i \to^* o$, we build the path $i \to^* o \to reset$

Take two nodes of $(x,y) \in F_{N^*}$, we want to build a path from y to x

73

MAIN THEOREM

Let us denote by $N:i\to o$ a workflow net with entry place i and exit place o

Let N^* be the net obtained by adding the "reset" transition to N $reset: o \rightarrow i$

Theorem:

N is sound iff N^* is live and bounded

Proof of MAIN THEOREM (1)

 N^* live and bounded implies N sound:

Since N^* is **live**: for each $t \in T$ there is $M \in [i]$. $M \stackrel{t}{\rightarrow}$

Take any $M \in [i]$ enabling $reset: o \rightarrow i$, hence $M \supseteq o$

Let $M \xrightarrow{reset} M'$. Then $M' \in [i]$ and $M' \supseteq i$

Since N^* is bound, it must be M'=i (and M=o) Otherwise all places marked by M'-i=M-o would be unbounded

Hence N^* just allows multiple runs of N:

"option to complete" and "proper completion" hold (see above)

"no dead task" holds because N^{st} is live

A technical lemma

Lemma:

If N is sound, M is reachable in N iff M is reachable in N^{st}

 \Rightarrow) straightforward

$$\Leftarrow$$
) Let $i \xrightarrow{\sigma} M$ in N^* for $\sigma = t_1 t_2 ... t_n$

We proceed by induction on the number r of instances of reset in σ If r=0, then reset does not occur in σ and M is reachable in N If r>0, let k be the least index such that $t_k=reset$

Let
$$\sigma = \sigma' t_k \sigma''$$
 with $\sigma' = t_1 t_2 ... t_{k-1}$ fireable in N

Since
$$N$$
 is sound: $i \xrightarrow{\sigma'} o$ and $i \xrightarrow{\sigma''} M$

Since σ'' contains r-1 instances of reset:

by inductive hypothesis ${\cal M}$ is reachable in ${\cal N}$

Proof of MAIN THEOREM (2)

N sound implies N^* bounded :

We proceed by contradiction, assuming N^{st} is unbounded

Since N^* is unbounded:

 $\exists M, M'$ such that $i \to^* M \to^* M'$ with $M \subset M'$

Let $L = M' - M \neq \emptyset$

Since N is sound:

 $\exists \sigma \in T^* \text{ such that } M \xrightarrow{\sigma} o$

By the monotonicity Lemma: $M' \stackrel{\sigma}{\to} o + L$ and thus $o + L \in [i]$ Which is absurd, because N is sound

Proof of MAIN THEOREM (3)

N sound implies N^* live:


Take any transition t and let M be a marking reachable in N^{\ast} By the technical lemma, M is reachable in N

Since N is sound: $\exists \sigma \in T^*$ with $M \stackrel{\sigma}{\longrightarrow} o$


Since N is sound: $\exists \sigma' \in T^*$ with $i \xrightarrow{\sigma'} M'$ and $M' \xrightarrow{t}$

Let
$$\sigma'' = \sigma \ reset \ \sigma'$$
, then:
$$M \xrightarrow{\sigma''} M' \ \text{in} \ N^* \ \text{and} \ M' \xrightarrow{t}$$

Use some tools to check if the net below is a sound workflow net or not



Use some tools to check if the net below is a sound workflow net or not



Analyse the following net

