

Intel Thread Building Blocks, Part III

SPD course 2018 -19

Massimo Coppola

29/04/2019

```
template< typename InputIterator,  
          typename Body>  
void parallel_do(  
    InputIterator first, InputIterator last,  
    Body body  
    [, task_group_context& group] );
```

- Parallel_do has two forms, both using the object-oriented syntax
- Applies a function object body to a specified interval
 - The body can add additional tasks dynamically
 - Iterator is a standard C++ one, however
 - a purely serial input iterator is a bottleneck
 - It is better to use iterators over random-access data structures
- Replaces the deprecated parallel_while

```
Template<typename Container,  
        typename Body>
```

```
void parallel_do( Container c, Body body  
                [, task_group_context& group] );
```

- Shorter equivalent for processing a whole container
 - iterators are provided by the Container type
 - equivalent to passing `std::begin()` and `std::end()` with the other syntax

Computing and adding items in a do

- The body class need to compute on the template T type e.g. operator()
 - Body also needs a copy constructor and a destroyer

```
B::operator()( T& item,  
parallel_do_feeder<T>& feeder ) const
```

```
B::operator()( T& item ) const
```

- Adding items depends on the signature of the Body operator() -- two possible signatures
 - First signature, with extra parameter, allows each item to call a feeder callback to add more items dinamically → e.g. allows dynamically bound parallel do, feedback, divide & conquer
 - Second signature means the do task set is static
 - You can't define both!

Containers

- TBB containers aim at increasing performance for heavy multithreading, while providing a useful level of abstraction
- Mimic STL interfaces and semantics whenever possible
- Change/drop features and introduce minimal locking to provide better performance (separate implementations)
 - Fine grain locking
 - Lock free techniques
- Lower multithread overhead still has a cost
 - may mean higher data management or space overhead

- `container_range`
 - extends the range to use a container class
- maps and sets:
 - `concurrent_unordered_map`
 - `concurrent_unordered_set`
 - `concurrent_hash_map`
- Queues:
 - `concurrent_queue`
 - `concurrent_bounded_queue`
 - `concurrent_priority_queue`
- `concurrent_vector`

container: Container Range

- extends the range class to allow using containers as ranges (e.g. providing iterators, reference methods)
 - Container ranges can be directly used in `parallel_for`, `reduce` and `scan`
- some containers have implementations which support container range
 - `concurrent_hash_map`
 - `concurrent_vector`
 - you can call `parallel_for`, `scan` and `reduce` over (all or) part of such containers

Extending a container to a range

- Types
 - `R::value_type` Item type
 - `R::reference` Item reference type
 - `R::const_reference` Item const reference type
 - `R::difference_type` Type for difference of two iterators
- What you need to provide
 - `R::iterator` Iterator type for range
 - `R::iterator R::begin()` First item in range
 - `R::iterator R::end()` One past last item in range
 - `R::size_type R::grainsize() const` Grain size
- AND all Range methods: `split()`, `is_divisible()`...

concurrent map/set templates

- The key issue is allowing multiple threads efficient concurrent access to containers
 - keeping as much as possible close to STL usage
 - at the cost of limiting the semantics
 - A (possibly private) memory allocator is an optional parameter
- containers try to support concurrent insertion and traversal
 - semantics similar to STL, in some cases simplified
 - not all containers support full concurrency of insertion, traversal, deletion
 - typically, deletion is forbidden / not efficient
 - some methods are labeled as concurrently unsafe
 - E.g. erase

Types of maps

- We wish to reuse STL – based code as much as possible
 - However, STL maps are NOT concurrency aware
- Two main options to make them thread-nice
 - Preserve serial semantics, sacrifice performance
 - Aim for concurrent performance, sacrifice STL semantics
- Choose depending on the semantics you need
- `concurrent_hash_map`
 - Preserves serial semantics as much as possible
 - Operations are concurrent, but consistency is guaranteed
- `concurrent_unordered_map`,
`concurrent_unordered_multimap`
 - Partially mimic STL corresponding semantics
 - drops concurrent performance hogging features
 - no strict serial consistency of operations

- concurrent_hash_map
 - Preserves serial semantics as much as possible
 - Operations are concurrent, but subject to a global ordering to ensure consistency
 - Relies on extensive built-in locking for this purpose
 - Data structure access is less scalable, may become a bottleneck
 - Your tasks may be left idle on a lock until data access is not available

concurrent unordered (multi)map

- `concurrent_unordered_map`
- `concurrent_unordered_multimap`
 - associative containers, concurrent insertion and traversal
 - semantics similar to STL `unordered_map/multimap` but simplified
 - omits features strongly dependent on C++11
 - Rvalue references, initializer lists
 - some methods are prefixed by `unsafe_` as they are concurrently unsafe
 - `unsafe_erase`, `unsafe_bucket` methods
 - inserting concurrently the same key may actually create a temporary pair which is destroyed soon after
 - the iterators defined are in the forward iterator category (only allow to go forward)
 - supports concurrent traversal (concurrent *insertion* does not invalidate the existing iterators)

Comparison of maps

- Choose depending on the semantics you need
- `concurrent_hash_map`
 - Permits erasure, has built-in locking
- `concurrent_unordered_map`
 - Allows concurrent traversal/insertion
 - No visible locking
 - minimal software lockout
 - no locks are retained that user code need to care about
 - Has `[]` and “at” accessors
- `concurrent_unordered_multimap`
 - Same as previous, holds multiple identical keys
 - Find will return the first matching `<key, Value>`
 - But concurring threads may have added stuff before it in the meantime!

Map templates

- ```
template <typename Key,
 typename Element,
 typename Hasher = tbb_hash<Key>,
 typename Equality = std::equal_to<Key> ,
 typename Allocator =
tbb::tbb_allocator<std::pair<const Key, Element > > >
class concurrent_unordered_map;
```
- ```
template <typename Key,  
          typename Element,  
          typename Hasher = tbb_hash<Key>,  
          typename Equality = std::equal_to<Key> ,  
          typename Allocator =  
tbb::tbb_allocator<std::pair<const Key, Element > > >  
class concurrent_unordered_multimap;
```

Concurrent sets

- ```
template <typename Key,
 typename Hasher = tbb_hash<Key>,
 typename Equality = std::equal_to<Key>,
 typename Allocator = tbb::tbb_allocator<Key>
class concurrent_unordered_set;
```
- ```
template <typename Key,  
        typename Hasher = tbb_hash<Key>,  
        typename Equality = std::equal_to<Key>,  
        typename Allocator = tbb::tbb_allocator<Key>  
class concurrent_unordered_multiset;
```
- `concurrent_unordered_set`
 - set container supporting insertion and traversal
 - same limitations as `map`: `C++0x`, `unsafe_erase` and bucket methods
 - Forward iterators, not invalidated by concurrent insertion
 - For multiset, same `find()` behavior as with the maps

Concurrent queues

- STL queues, modified to allow concurrency
 - Unbounded capacity (memory bound!)
 - FIFO, allows multiple threads to push/pop concurrently with high scalability
- Differences with STL
 - No front and back access → concurrently unsafe
 - Iterators are provided only for debugging purposes!
 - `unsafe_begin()` `unsafe_end()` iterators pointing to begin/end of the queue
 - `Size_type` is an integral type (can be negative!)
 - `Unsafe_size()` number of items in queue, not guaranteed to be accurate
 - `try_pop(T & object)`
 - replaces (merges) `size()` and `front()` calls
 - attempts a pop, returns true if an object is returned

Bounded_queue

- Adds the ability to specify a capacity
 - `set_capacity()` and `capacity()`
 - default capacity is practically unbounded
- push operation waits until it can complete without exceeding the capacity
 - `try_push` does not wait, returns true on success
- Adds a waiting `pop()` operation that waits until it can pop an item
 - `Try_pop` does not wait, returns true on success
- Changes the `size_type` to a signed type, as
 - `size()` operation returns the number of push operations minus the number of pop operations
 - Can be negative: if 3 pop operations are waiting on an empty queue, `size()` returns -3.
- `abort()` causes any waiting push or pop operation to abort and throw an exception

concurrent_priority_queue

- Concurrent push/pop priority queue
 - Unbounded capacity
 - Push is thread safe, try_pop is thread safe
- Differences with respect to STL
 - Does not allow choosing a container; does allow to choose the memory allocator
 - top() access to highest priority elements is missing (as it is unsafe)
 - pop replaced by try_pop
 - size() is inaccurate on concurrent access
 - empty() may be inaccurate
 - Swap is not thread safe

- `concurrent_priority_queue(`
 `const allocator_type& a =`
 `allocator_type())`
 - Empty queue with given allocator
- `concurrent_priority_queue(`
 `size_type init_capacity,`
 `const allocator_type& a =`
 `allocator_type())`
 - Sets initial capacity
- Priority is provided by the template type T

Concurrent vector

- Random access by index
- Concurrent growth / append
- **Growing does not invalidate indexes**
- Provides forward and reverse iterators
- Implements the range concept
 - Can be used for parallel iteration
- **Some methods are NOT concurrent**
 - Reserve, compact, swap
 - Shrink_to_fit compacts the memory representation
 - Never performed automatically in order to preserve concurrent access: it invalidates indexes
- Size() can be concurrently inaccurate (includes element in construction)

- **enumerable_thread_specific**

template <typename T, typename

Allocator=cache_aligned_allocator<T>,

ets_key_usage_type ETS_key_type=ets_no_key>

class enumerable_thread_specific;

- a container class providing local storage for a type T to any of the running threads
 - it has a combine() method, applying a binary, associative functor (T,T)->T to perform a reduction over the storage items
 - It has a combine_each() to apply a functor T->T to all items
- thread-local copies are lazily created, with default, exemplar or function initialization
- two implementations
 - the default one is not resource constrained, a bit of overhead
 - the more performant one consumes one TLS key each time a thread requires TLS storage; TLS keys are limited (64~128)

thread local storage

- outside of parallel contexts, the contents of all thread-local copies are accessible by iterator or by using `combine / combine_each` methods
- the address of a copy is invariant, as thread-local copies do not move
 - during their whole lifetime, but **with the exception of `clear()`**
 - `clear()` also frees the TLS key, if it was allocated
 - the contained objects need not have `operator=()` defined if `combine` methods are not used.
 - `enumerable_thread_specific` containers may be copy-constructed or assigned.
 - thread-local copies can be managed by hash-table, or can be accessed via TLS storage for speed.

Synchronization mechanisms

- Low level mechanism to control low-level concurrent access to data structures
- Use with great care
 - Can cause software lockout
- Mutexes
 - data structures that allow adding generic locking mechanisms to any data structures
- Atomic
 - template that add very simple, low overhead, hw-supported atomic behaviour to a few machine types available in the language
- PPL Compatibility
 - 2 constructs added for compatibility with Microsoft Parallel Pattern Library
- C++11 synchronizations
 - Supports a subset of the N3000 draft of the C++11 standard
 - Subject to changes with new implementations of TBB

atomic objects

- `template<typename T> atomic;`
- Generate special machine instructions to ensure that operating on a variable in memory is performed atomically
- atomics within the C++11 standard (TBB goes beyond it)
- Integral type, enum type, pointer type
- Template supports atomic read, write, increment, decrement, `fetch&add`, `fetch&store`, `compare&swap` operations
- Arithmetic
 - Pointer arithmetic if T is a pointer
 - not allowed if T is enum, bool or void*

atomic objects

- Copy constructor is never atomic
 - It is compiler generated
 - Need to default construct, then assign

```
atomic<T> y(x); // Not atomic
```

```
atomic<T> z; z=x; // Atomic assignment
```

 - C++11 uses the `constexpr` mechanism for this
- `atomic <T*>` defines the dereferencing of data as
 - `T*` operator `->()` `const`;

Atomic methods

- `value_type fetch_and_add(value_type addend)`
 - Atomically add and fetch previous value
- `value_type fetch_and_increment()`
- `value_type fetch_and_decrement()`
 - Atomically Increment/decrement and fetch pr.val.
- `value_type compare_and_swap(value_type new_value, value_type comparand)`
 - If the atomic has value “comparand” set it to “new_value”
- `value_type fetch_and_store(value_type new_value)`
 - Atomically fetch previous value and store new one